

**PACKAGE INSERT****REF** QRR010934**Supplier**

Mechatronics Instruments B.V.  
P.O. Box 225  
1620 AE Hoorn  
The Netherlands  
**Phone:** +31 229 291 129  
**Fax:** +31 229 241 534

**Starrsed Rinse solution 20L****Intended purpose**

Product for automatic rinsing of the Westergren pipettes in Starrsed ESR analyzers.

**Instructions For Use**

The product is for use on the Starrsed analyzers only. The product is ready to use, refer to the Starrsed instrument manual for detailed instructions.

1. Remove level sensor and spacer from the empty container in the instrument.
2. Remove empty container.
3. Place the new container.
4. Open the box by tearing off the perforated part on top of the box.
5. Remove the container screw cap and pull the neck of the bottle pack out of the cardboard box.
6. Install the level sensor and spacer according to the pictures provided in the Starrsed instrument manual .  
Make sure to place the appropriate level sensor in the container by matching the color code on the tube and on the container label.
7. Select the PRIME function in the Starrsed instrument software to perform the prime.

**Chemical/Physical data**

Contains surfactants (2 ‰ by weight ) and some excipients (<1.5 ‰ by weight in total) to boost the cleaning by surfactants and the preservative sodium azide (< 0.5 weight ‰).

The latest version of the Safety Data Sheet is available on the website [www.rmechtronics.com](http://www.rmechtronics.com)

**Transport/Storage/Packaging**

**Stability during transport:** 5 - 60 °C (maximum of 14 days)

Store at 5 - 35 °C in dry conditions in well sealed containers.

Starrsed Rinse solution QRR 010934 is supplied in 20 Liter containers, LxWxH 38,5x25,5x27,5 cm.

**Safety**

Any serious incident that has occurred in relation to this product must be reported to the distributor and/or manufacturer and the competent local authorities.

**Shelf life**

**After production:** 2 years, but no longer than the expiry date.

**In-use stability:** Maximum of 3 months at advised temperature of 5 till 25°C.

**Ecological information**

Generally not hazardous for water.

## Disposal

**Recommendation** Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

**Recommended cleaning agent** Water, if necessary with cleaning agent.



RR Mechatronics Manufacturing B.V.  
De Corantijn 13, 1689 AN Zwaag, The Netherlands  
[www.rrmechatronics.com](http://www.rrmechatronics.com)

Rev. 5

Revision due to IVDR-registration, intended purpose description modified

Website added under manufacturer address

Component description and safety chapter added